

# FILE NOTATIONS

Entered in NID File ✓  
 Entered On S R Sheet \_\_\_\_\_  
 Location Map Pinned ✓  
 Card Indexed ✓  
 I W R for State or Fee Land \_\_\_\_\_

Checked by Chief RL  
 Copy NID to Field Office ✓  
 Approval Letter ✓  
 Disapproval Letter \_\_\_\_\_

## COMPLETION DATA:

Date Well Completed 9-5-61  
 OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_  
 GW \_\_\_\_\_ OS \_\_\_\_\_ PA ✓

Location Inspected \_\_\_\_\_  
 Bond released \_\_\_\_\_  
 State of Fee Land \_\_\_\_\_

## LOGS FILED

Driller's Log 2-16-62

Electric Logs (No. ) \_\_\_\_\_

E \_\_\_\_\_ I \_\_\_\_\_ E-I \_\_\_\_\_ GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_  
 Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_



# TIDEWATER OIL COMPANY

B O X 1 2 3 1 M I D L A N D T E X A S

January 8, 1961

United States Department of the Interior  
Geological Survey  
Branch of Oil and Gas Operations  
417 Empire Building  
Salt Lake City 11, Utah

Gentlemen:

Attached you will find the original and one copy of Form 9-329 which covers the operations of our Horse Point Unit Well No. 1 for the months of June and July of 1961.

Also please find attached necessary form 9-329's to cover the operations on our Horse Point Unit Well No. 1-X during the months of September, October and November of 1961.

Yours very truly,

TIDEWATER OIL COMPANY

By: H. G. Wesberry  
H. G. Wesberry

2-cc The State of Utah  
Oil and Gas Conservation Commission  
310 Newhouse Bldg., 10 Exchange Place  
Salt Lake City 11, Utah  
1-cc Mr. H. E. Berg - Houston  
Mr. James Dixelbiss - Durango  
Mobil Oil Co., Box 3371, Durango, Colo.  
File



## TIDEWATER OIL COMPANY

P. O. BOX 1231  
MIDLAND, TEXAS

April 19, 1961

The State Of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah

Attn: Mr. C. H. Henderson

Gentlemen:

Attached you will find original and two copies on Notice of Intention to Drill and plats whereas Tidewater Oil Company proposes to drill our Horse Point Unit No. 1.

Will you please advise if our Nation Wide Bond No. 7920061 will satisfy the requirements with respect to drilling on federal lands within this state.

Yours very truly,


TIDEWATER OIL COMPANY

*R. H. Coe*  
R. H. Coe, District  
Production Manager

HGW:ge

Attachment

cc: Mr. H. E. Berg - Houston  
Mr. J. S. Cameron, Jr. - Houston  
Mr. James Divelbiss - Durango, Colorado  
Mr. R. H. Coe - Midland



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Copy to J. L. C.  
Budget Bureau No. 42-R388.4  
Approval expires 12-31-60.

Land Office .....  
Lease No. ....  
Unit .....

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	X	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 19, 1961, 19

Horse Point Unit  
Well No. 1 is located 820 ft. from N line and 1820 ft. from E line of sec. 14  
NW 1/4 of NE 1/4 Sec. 14 T-16-S R-23-E (Meridian)  
(1/4 Sec. and 1/4 Sec. No.) (Twp.) (Range)  
Wildcat Grand Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the Ground above sea level is 8355 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


TD 9200' 10-3/4" 40.50 Csg. Approximately 800'  
with sufficient cement to circulate to surface.

(See Attachment)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tidewater Oil Company  
Address P. O. Box 1231  
Midland, Texas  
By L. H. Cas  
Title District Production Manager


**TIDEWATER OIL COMPANY  
HORSE POINT UNIT NO. 1  
GRAND COUNTY, UTAH**



NOTE: EL. BY V.A. FROM MULTAPLEX EL. (USGS)  
ORIENTATION BY MAG. SOLAR OBS. IMPOSSIBLE  
BECAUSE OF CLOUDS.

I, WARD O. AMSBURY, DO HEREBY CERTIFY THAT THIS  
MAP WAS PLOTTED FROM FIELD NOTES OF AN ACTUAL  
SURVEY MADE BY ME ON APRIL 15, 1961.

*Ward O. Ambury*  
REG. UTAH LAND SURVEYOR, REG. NO. 1961



HOLDER ENGINEERING SERVICE

**TIDEWATER  
OIL COMPANY**

SURVEYED BY *W.O.A.*

DRAWN BY *W.O.A.*

GRAND JCT., COLO.

APRIL 17, 1961

April 24, 1961

Tidewater Oil Company  
P. O. Box 1231  
Midland, Texas

Attn: R. H. Coe, Dist. Prod. Mgr.

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Horse Point Unit 1, which is to be located 820 feet from the north line and 1820 feet from the east line of Section 14, Township 16 South, Range 23 East, SLEM, Grand County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted. Incidentally, when a well is being drilled on Federal acreage and a state wide or nation wide bond is on file with the United States Geological Survey, this office does not require a bond.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT,  
EXECUTIVE SECRETARY

CBF:mg

cc: Don F. Russell, Dist. Eng.  
U. S. Geological Survey

H. L. Counts - OCCC, Moab

May 1, 1961

Tidewater Oil Company  
P. O. Box 1231  
Midland, Texas

Attn: R. H. Coe, Dist. Prod. Mgr.

Re: Well No. Horse Point  
Unit #1, Sec. 14, T. 16 S.,  
R. 23 E., Grand County,  
Utah

Gentlemen:

Would you please send us the Lease Number for  
this well as it was not included on your notice of  
intention to drill.

Thank you.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANN W. GLINES,  
RECORDS CLERK

AWG



# TIDEWATER OIL COMPANY

P. O. BOX 1231  
MIDLAND, TEXAS

May 4, 1961

The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Bldg.  
10 Exchange Place  
Salt Lake City 11, Utah

Attn: Ann W. Glines

Re: Horse Point Unit Well  
No. 1 Sec. 14, T-16-S  
R-23-E Grand Co., Utah

Dear Madam:

In reply to your inquiry of 5-1-61 reference the Lease  
Number of above subject, this to advise the number is 05109.

Yours very truly,

R. H. Coe  
Dist. Prod. Supt.

TEL/RHC/sjk..





# TIDEWATER OIL COMPANY

B O X 1 2 3 1 , M I D L A N D , T E X A S

PRODUCTION DEPARTMENT

H. COE, DISTRICT MANAGER  
G. WESBERRY, ASST. DISTRICT MANAGER  
R. MILLER, DISTRICT ENGINEER  
C. LILES, ADMINISTRATIVE ASST.

June 15, 1961

Mr. B. F. Russell  
445 Federal Building  
Salt Lake City, Utah

Dear Mr. Russell:

Attached is original and one copy of Form 9-331-a on our  
Horse Point Unit No. 1 located in the SE $\frac{1}{4}$  NW $\frac{1}{4}$  of NE $\frac{1}{4}$  of  
Section 14, T-16-S R-23-E, Grand County, Utah.

Yours very truly,


TIDEWATER OIL COMPANY

*R. H. Coe*  
R. H. Coe, District  
Production Manager

HOWige

Attachment

2 cc - ☒ The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah  
1 cc - Mr. H. E. Berg - Houston  
1 cc - Mr. James Divalbiss - Durango  
1 cc - Mr. Ed Hogue - Vernal, Utah  
1 cc - File



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-E358.4  
Approval expires 12-31-60.

Land Office \_\_\_\_\_  
Lease No. **05109**  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<b>X</b>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**June 15, 1961**

Well No. **1** is located **820** ft. from **N** line and **1820** ft. from **E** line of sec. **14**  
**SE 1/4 NW 1/4 of NE 1/4** **T-16-S** **R-23-E** **Salt Lake Base**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Wild cat** **Grand** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **8355** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Spudd @ 3:00 P. M. June 14, 1961**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Tidewater Oil Company**

Address **Box 1231**

**Midland, Texas**

By **R. H. Coe**  
**R. H. Coe**  
 Title **District Production Manager**

Orig. & 1 cc - USGS - Salt Lake  
 2 cc - Utah Conservation Commission  
 1 cc - Houston

1 cc - Durango  
 1 cc - Hogue - Vernal, Utah  
 cc - File



# TIDEWATER OIL COMPANY

B O X 1 2 3 1 , M I D L A N D , T E X A S

PRODUCTION DEPARTMENT

June 29, 1961

H. COE, DISTRICT MANAGER  
G. WESBERRY, ASST. DISTRICT MANAGER  
N. MILLER, DISTRICT ENGINEER  
E. LILES, ADMINISTRATIVE ASST.

Mr. D. F. Russell  
445 Federal Building  
Salt Lake City, Utah

Dear Mr. Russell:

Attached is original and one copy of Form 9-331a covering subsequent report of water shut-off on our Horse Point Unit No. 1 located in the SE $\frac{1}{4}$  NW $\frac{1}{4}$  of NE $\frac{1}{4}$  Section 14, T-16-S R-23-E, Grand County, Utah.

Yours very truly,

TIDEWATER OIL COMPANY

*R. H. Coe*  
R. H. Coe, District  
Production Manager

HW:tel..

Attachment

- 2 cc - The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah
- 1 cc - Mr. H. E. Berg - Houston
- 1 cc - Mr. James Divalbiss - Durango
- 1 cc - Mr. E. W. Hogue - Vernal, Utah
- 1 cc - File


(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office .....

Lease No. **05109**

Unit .....



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<b>X</b>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**June 26,** 19 **61**

Well No. **1** is located **820** ft. from **{N}** line and **1820** ft. from **{E}** line of sec. **14**  
**SE/4 NW/4 of NE/4** **T-14-S** **R-23-E** **Salt Lake Base**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Wildcat** **Grand** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **8355** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Drill 15" hole to 807' D.F. Set 10-3/4" 40.5# J-55 Casing @ 800'. Cement w/  
650 sacks cement w/ 3% HA5 Cement. Cement Circulated. Drill Float Collar @  
738' and Cement to 790'. Tested 10-3/4" w/ 800# for 30 Min. with no drop in  
pressure. A satisfactory water shut-off was obtained.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Tidewater Oil Company**

Address **Box - 1231**

**Midland, Texas**

By **R. H. Coe** **R. H. Coe**

Title **District Prod. Manager**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE \_\_\_\_\_  
LEASE NUMBER **05109**  
UNIT **Horse Point Unit**

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State Utah County Grand Field Wildcat

The following is a correct report of operations and production (including drilling and producing wells) for the month of June, 19 61

Agent's address Box 1231 Company Tidewater Oil Co.  
Midland, Texas Signed H. Kuschner

Phone MU 2-2591 Agent's title Ass't. Dist. Prod. Mgr.

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Ft. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
SE/4, NW/4 of NE/4	16S	23E	1							Drilling @ 2700'.

NOTE.—There were 0 runs or sales of oil; 0 M cu. ft. of gas sold;

0 runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

DETAILS OF WORK: Attachment

	Name	Est. Top	Est. Base
Pay and Other	Green River fm.	Surface	800'
Key Formations	Wasatch fm.	800'	1900'
(List in order	Mesaverde fm.	1900'	4200'
of depth,) In-	Mancos Shale	4200'	8150'
dicate Main Ob-	Castlegate SS	4480'	4530'
jective Horizons	Dakota fm.	8235'	8280'
"Yes-Obj." In	Burro Canyon fm.	8280'	8400'
Last Column	Morrison fm.	8400'	9000'

One 50' core of Burro Canyon; possible 30' core in Morrison

Anticipate 1 DST of Castlegate, 1 DST of Burro Canyon, 2 DST's of Morrison sands.

566



# TIDEWATER OIL COMPANY

BOX 1231, MIDLAND, TEXAS

## PRODUCTION DEPARTMENT

H. COE, DISTRICT MANAGER  
G. WESBERRY, ASST. DISTRICT MANAGER  
N. MILLER, DISTRICT ENGINEER  
E. LILES, ADMINISTRATIVE ASST.

July 19, 1961

United States Department of the Interior  
Geological Survey  
Branch of Oil and Gas Operations  
445 Federal Building  
Salt Lake City, Utah

Attention: Mr. D. F. Russell, Dist. Engineer

Subject: Lease No. U-05109, Well #1  
NW 1/4 Sec. 14, T16S, R23E,  
SLM, Grand County, Utah

Gentlemen:


As requested in your letter of July 14, 1961 we are setting out herein the details of the accident which occurred July 8, 1961 on above subject drilling well which is being drilled by Nye Drilling Company, Patterson Bldg., P.O. Box - 1926, Denver, Colorado operating under Contract by our Company.

Contractor had drilled to a total depth of 3,108'. Drill pipe stuck at 2640'. Cortez Fishing Tool, Inc., of East Hwy. 40, Vernal, Utah was called to location with their Mr. Lacy Harber supervising operations in an attempt to loosen drill pipe. Torque was being put on drill pipe with tongs used for back up latched on same with snub line attached to stationary point. Mr. Harber, allegedly requested roughnecks on derrick floor to move back from tongs. With torque still on drill pipe and tongs attached drill pipe was picked up slightly when drive bushing came out of rotary table and torque broke snub line on stationary point allowing tongs and snub line to spin around. The snub line came in contact with the following three parties:

Oral Joe Lichtenhahn, 84N. - 2nd. W., Vernal, Utah, Age 31 - Single  
Employed as Roughneck by Nye Drilling Co. Killed instantly.

Orville Klits, 84N. - 2nd. W., Vernal, Utah, Age 26 - Single  
Employed as Roughneck by Nye Drilling Co. Deceased 4 hours after accident.

Lacy Harber, Naples, Utah, Age 25 - Married  
Employed by Cortez Fishing Tool, Inc. as General Manager.  
Abrasion across dorsal spine and left wrist. Released from





# TIDEWATER OIL COMPANY

B O X 1 2 3 1 M I D L A N D T E X A S

Uintah County Hospital, Vernal, Utah on 7-9-61.

To prevent a recurrence the Drilling Contractor has been cautioned to be mindful at all times of possibility of such accidents and to take every possible precaution necessary to prevent a recurrence.

In the existing Drilling Contract which we have with the Contractor, same having been executed by both Nye Drilling Company and Tidewater Oil Company a provision is set out therein which reads as follows:

"Contractor agrees to indemnify Tidewater and hold it harmless from and against any and all claims for damages to persons or property arising out of, in connection with, or resulting from the operations of Contractor, its agents and employees hereunder, and agrees, at his own expense, to defend any such claim asserted or suit brought against Tidewater and to pay the judgement in any such action."

There were no losses of gas or oil as result of the accident.

If the above does not contain the information desired, please advise.

Yours very truly,

*H. G. Wesberry*  
H. G. Wesberry  
Asst. Dist. Prod. Manager

WEN/TEL/sjk..



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE \_\_\_\_\_  
LEASE NUMBER 05109  
UNIT Horse Point Unit

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State Utah County Grand Field Wildcat

The following is a correct report of operations and production (including drilling and producing wells) for the month of July, 19 61

Agent's address Box 1231 Company Tidewater Oil Co.  
Midland, Texas Signed H. W. Chen


Phone MU 2-2591 Agent's title Ass't. Dist. Prod. Agr.

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (in thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
SE/4, NW/4 of NE/4	16S	23E	1							T.D. 3108' Fishing

NOTE.—There were \_\_\_\_\_ runs or sales of oil; \_\_\_\_\_ M cu. ft. of gas sold;

\_\_\_\_\_ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. **05109**  
Unit \_\_\_\_\_

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL .....		SUBSEQUENT REPORT OF WATER SHUT-OFF .....	
NOTICE OF INTENTION TO CHANGE PLANS .....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING .....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF .....		SUBSEQUENT REPORT OF ALTERING CASING .....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL .....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR .....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE .....		SUBSEQUENT REPORT OF ABANDONMENT .....	
NOTICE OF INTENTION TO PULL OR ALTER CASING .....		SUPPLEMENTARY WELL HISTORY .....	
NOTICE OF INTENTION TO ABANDON WELL .....	<b>X</b>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**August 9,** 19 **61**

Well No. **1** is located **820** ft. from **[N]** line and **1820** ft. from **[E]** line of sec. **14**  
**[S]**

**SE 1/4 NW 1/4 of NE 1/4**  
(1/4 Sec. and Sec. No.)

**T-16-S**  
(Twp.)

**R-23-E**  
(Range)

**Salt Lake Base**  
(Meridian)

**Wilcoxon**  
(Field)

**Grand**  
(County or Subdivision)

**Utah**  
(State or Territory)

The elevation of the derrick floor above sea level is **8355** ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**T. D. 3108' Stuck drill pipe at 2640'. After fishing for 30 days with no success, it was decided to P & A and move location 100' East. Top of fish is 2580'. Hole will be circulated w/ 9.5 to 10# mud and 80 sx plug spotted in bottom of 10-3/4 at 800'. A 30 sx plug will be placed in top of 10-3/4 & 1/2 inch marker erected. No show of oil, gas or water was encountered.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Tidewater Oil Company**

Address **Box 1231**

**Midland, Texas**

By **H. G. Wesberry**  
**H. G. Wesberry, Ass't. District**  
Title **Production Manager**



# TIDEWATER OIL COMPANY

B O X 1 2 3 1 , M I D L A N D , T E X A S

PRODUCTION DEPARTMENT

H. GOGG, DISTRICT MANAGER  
G. WESBERRY, ASST. DISTRICT MANAGER  
J. MILLER, DISTRICT ENGINEER  
J. LILES, ADMINISTRATIVE ASST

August 9, 1961

United States Department of the Interior  
Geological Survey  
Branch of Oil and Gas Operations  
445 Federal Building  
Salt Lake City, Utah

Attn: Mr. B. F. Russell

Gentlemen:

Attached is original and one copy of Form 9-331a covering abandonment of Horse Point Unit, Well No. 1, located in the SE/4 NW/4 of NE/4 of Section 14, T-16-S, R-23-E, Grand County, Utah.

As you will notice in the report, the hole was junked at 3108' and contractor did not care to whipstock well. Our plans are to move location 100' to the East and carry well to total depth of 9800' as originally planned.

At this time, we are negotiating with several contractors on the drilling of this well. Unless we are otherwise advised, plots, etc., will be submitted as in the drilling of a regular well.

Yours very truly,

TIDEWATER OIL COMPANY

*H. G. Wesberry*  
H. G. Wesberry, Asst. District  
Production Manager

HGW:gc


Attachment

cc: 2 The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah  
1 cc - Mr. H. E. Berg - Houston  
1 cc - Mr. James Divalbiss-Durango  
1 cc - Mr. E. W. Hogue - Vernal, Utah  
1 cc - File

U. S. LAND OFFICE

SERIAL NUMBER 05109

LEASE OR PERMIT TO PROSPECT



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## LOG OF OIL OR GAS WELL

Company Tidewater Oil Company Address Box 1231, Midland, Texas  
Lessor or Tract Horse Point Unit Field Wildcat State Utah  
Well No. 1 Sec. 14 T. 165 R. 23-E Meridian Salt Lake Base County Grand  
Location 820 ft. EX of N Line and 1820 ft. EX of E Line of Section 14 Elevation 8355  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed

*H. W. Sherman*Date February 13, 1962Title Ass't. District Production Manager

The summary on this page is for the condition of the well at above date.

Commenced drilling June 13, 19 61 Finished drilling August 10, 19 61

## OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

No. 1, from None to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

## CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
10-3/4	40.5	8 R	Cone Star	781	Howco	None			Surface

## MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10-3/4	800	650	Plug		

## PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

## SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

#### TOOLS USED

Rotary tools were used from Surface feet to 3108 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

#### DATES

\_\_\_\_\_, 19\_\_\_\_ Put to producing \_\_\_\_\_, 19\_\_\_\_

The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_

If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. \_\_\_\_\_

#### EMPLOYEES

Schulz, Driller Hutchens, Driller

Wirt, Driller All for Nye Drilling Company, Driller

#### FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Zero	186	186	Rock - Surface
186	335	149	Shale
335	808	463	Sandy Shale
808	2420	1512	Shale
2420	2540	120	Siltstone
2540	3108 T.D.	568	Sand & Shale

Hole was junked at 3108'. Hole was plugged as following:

8-3/4" hole was circulated W/9.8 Mud and 80 sack cement plug spotted on bottom of 10-3/4" casing at 800' and extending to 1010'. A 30 sack cement plug was placed at 60' to top of 10-3/4" casing in cellar. A 4" marker was erected. No pipe was pulled and no electric or radioactive logs were run. Well was plugged 9/5/61.

(OVER)

16-43094-4

FORMATION RECORD—CONTINUED


FORM 6-558

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED  
DATE 10/1/01 BY 1043/UC/LP/STP

(SUBMIT IN TRIPLICATE)

Indian Agency \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. 05189


SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	<b>X</b>
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 25, \_\_\_\_\_, 1961

Well No. 1 is located 820 ft. from N line and 1820 ft. from E line of sec. 14

SE 1/4 of NE 1/4  
(1/4 Sec. and Sec. No.)

T-16-S  
(Twp.)

R-23-E  
(Range)

Salt Lake Base  
(Meridian)

Wilcox

(Field)

Grand

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 8355 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

8-3/4 Hole was circulated w/ 9.8 mud and 80 sack cement plug spotted in bottom of 10-3/4" casing at 800 and extending to 1010'. A 30 sack cement plug was placed at 60' to top of 10-3/4" in cellar a 4" marker was erected. No pipe was pulled.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tidewater Oil Company

Address Box 1231

Midland, Texas

By \_\_\_\_\_

H. G. Weeberry, Asst. District  
Title Production Manager



# TIDEWATER OIL COMPANY

BOX 1231, MIDLAND, TEXAS

PRODUCTION DEPARTMENT

H. G. WESBERRY, DISTRICT MANAGER

J. L. GIBBS, ASST. DISTRICT MANAGER

R. L. WELLS, DISTRICT ENGINEER

J. L. GIBBS, ADMINISTRATIVE ASST.

August 25, 1961

United States Department of the Interior  
Geological Survey  
Branch of Oil and Gas Operations  
445 Federal Building  
Salt Lake City, Utah

Attn: Mr. D. F. Russell

Gentlemen:

Attached is original and two copies of Form 9-331-b, subsequent report of abandonment, on the Horse Point Unit Well No. 1, located in the SE $\frac{1}{4}$  NW $\frac{1}{4}$  of NE $\frac{1}{4}$  of Section 14, T-16-S, R-23-E, Grand County, Utah.

Yours very truly,

TIDEWATER OIL COMPANY

H. G. Wesberry, Ass't. District  
Production Manager

HW:ige

Attachment

cc: - 2 - The State of Utah

Oil & Gas Conservation Commission  
110 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah

1 cc - Mobil Oil Company  
Box 3371  
Durango, Colorado

1 cc - Mr. H. E. Berg - Houston

1 cc - Mr. James Divalbiss - Durango

1 cc - Mr. E. W. Hogue - Vernal, Utah

1 cc - File



**TIDEWATER OIL COMPANY**  
**BOX 1231, MIDLAND, TEXAS**

W. E. DILLON, PRESIDENT  
J. H. DILLON, VICE PRESIDENT  
J. H. DILLON, SECRETARY  
J. H. DILLON, TREASURER  
J. H. DILLON, GENERAL MANAGER  
J. H. DILLON, ADMINISTRATIVE

**September 5, 1961**

**United States Department of the Interior  
Geological Survey  
Branch of Oil and Gas Operations  
445 Federal Building  
Salt Lake City, Utah**

**Attn: Mr. D. F. Russell**

**Gentlemen:**

Attached you will find Form 9-331-a, Subsequent Report of Abandonment, on the Horse Point Unit, Well No. 1, located in the SE $\frac{1}{4}$  NW $\frac{1}{4}$  of NE $\frac{1}{4}$  of Section 14, T-16-S, R-23-E, Grand County, Utah.

It is our plans to start the drilling of Well No. 1-K in the very near future and to use pits that were used on the No. 1.

Yours very truly,

**TIDEWATER OIL COMPANY**

*H. G. Wesberry*  
**H. G. Wesberry, Ass't. District  
Production Manager**

**HGW:gc**

**Attachment**

- cc - 2 - The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
10 Exchange Place  
Salt Lake City, 11, Utah**
- 1 cc - Mobil Oil Company  
P. O. Box 3371  
Durango, Colorado**
- 1 cc - Mr. H. E. Burg - Houston**
- 1 cc - Mr. James Bivelbiss - Durango**
- 1 cc - Mr. E. W. Hogue - Vernal, Utah**
- 1 cc - File**




(SUBMIT IN TRIPLICATE)

Land Office

Lease No.

05109

Unit

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 5, 1961

, 19

Well No. 1 is located 820 ft. from N line and 1820 ft. from E line of sec. 14SE 1/4 NW 1/4 of NE 1/4  
(1/4 Sec. and Sec. No.)T-16-S  
(Twp.)R-23-E  
(Range)Salt Lake Base  
(Meridian)Wildcat  
(Field)Grand  
(County or Subdivision)Utah  
(State or Territory)The elevation of the derrick floor above sea level is 835 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

8-3/4" Hole was circulated w/ 9.8 mud and 80 sack cement plug spotted in bottom of 10-3/4" casing at 800 and extending to 1010'. A 30 sack cement plug was placed at 60' to top of 10-3/4" in collar a 4" marker was erected. No pipe was pulled.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tidewater Oil CompanyAddress Box 1231Midland, TexasBy H. G. Weagberry  
H. G. Weagberry, Asst. District  
Title Production Manager

February 9, 1962

Tidewater Oil Company  
P. O. Box 1231  
Midland, Texas

Attn: H. G. Wesberry, Ass't District Production Manager

Re: Well No. Horse Point Unit #1,  
Sec. 14, T. 16 S., R. 23 E.,  
Grand County, Utah

Gentlemen:

This letter is to advise you that the well log for the above mentioned well is due and has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGCC-3, "Log of Oil or Gas Well", in duplicate and forward them to this office as soon as possible. Legible copies of the U. S. Geological Survey Form 9-330 may be used in lieu of our forms.

Copies of all electric and radioactivity logs that may have been run should also be filed with this office.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANN W. GLINES,  
RECORDS CLERK

AWG:kpb  
Enclosures: (3)

103



# TIDEWATER OIL COMPANY

B O X 1 2 3 1 , M I D L A N D , T E X A S

PRODUCTION DEPARTMENT

H. G. WESBERRY, DISTRICT MANAGER

V. D. MILLER, DISTRICT ENGINEER

E. E. GILES, ADMINISTRATIVE ASST.

February 14, 1962

The State of Utah  
Oil & Gas Conservation Commission  
310 New House Building  
10 Exchange Place  
Salt Lake City 11, Utah

Attn: Ann W. Glines, Records Clerk

Re: Well No. Horse Point Unit #1,  
Sec. 14, T. 16 S., R. 23 E.,  
Grand County, Utah

Gentlemen:

Attached is the original and two copies of Form 9-330, "Log of Oil Or Gas Well" on the subject well, which was requested in your letter of February 9, 1962.

Very truly yours,

TIDEWATER OIL COMPANY

*H. G. Wesberry*  
H. G. Wesberry, Ass't. District  
Production Manager

HGW:ge

Attachment

2-cc United States Department of the Interior  
Geological Survey  
Branch of Oil and Gas Operations  
417 Empire Building  
Salt Lake City 11, Utah  
1-cc Mr. H. E. Berg - Houston  
Mr. James Divelbiss - Durango, Colo  
Mobil Oil Co., Box 3371, Durango, Colo.  
File